



Registration Ref.	#119 (29/4/2008)
Cultivar Name	<b><i>P.</i> 'Berkeley'</b>
Originator	Unknown
Parentage	<i>P. subpeltata</i> ×?
Description	Stem terete; flowers 7cm in diameter, reflexing, non-fragrant; anthers often distorted with little visible pollen; petals white on both surfaces; sepals white on adaxial surface, green on abaxial surface with 1.5cm keeled awn; outermost series of corona filaments 2cm long, second series noticeably shorter, occasional and variable pale purple/blue banding; peduncle 8 - 9cm; petiole 5 - 6cm with 4 - 5 ligulate glands; leaves three-lobed, occasionally five-lobed, up to 13 x 18cm; bracts ovate 2.5 x 2cm, rarely serrated at base; stipules 2 x 4cm; not self-fertile. Minimum temperature -5C. Shows many features in common with <i>P. subpeltata</i> , but differs from normal forms in having larger flowers and foliage, more prominent petiole glands, purple/blue coloration to corona, and in being more vigorous and hardier. It appears to be a hybrid of <i>P. subpeltata</i> , or of a related species, possibly with <i>P. caerulea</i> . Named after the location in California where it was found in cultivation in 2006. This profile was created by L.A.King: Cultivar Registrar.